

Barwick bathroom *collection*


Contemporary

Add understated elegance to bathrooms, en-suites and cloakrooms with our Barwick bathroom accessories, available in ridged and plain designs with the option to choose from a circular rose or full backplate.




Barwick Ridged Toilet Roll Holder

Code	Length (L)	Bar Diameter (BD)	Projection (P)	Base (B)
BWK/TRHOLDER/175/RH/BP	175mm	25mm	99mm	50mm
BWK/TRHOLDER/175/LH/BP	175mm	25mm	99mm	50mm



Barwick Ridged Toilet Roll Holder with Backplate

Code	Length (L)	Bar Diameter (BD)	Projection (P)	Plate Length (PL)	Plate Width (PW)
BWK/TRHOLDER/175/RH/ROSE	156mm	25mm	99mm	199mm	51mm
BWK/TRHOLDER/175/LH/ROSE	156mm	25mm	99mm	199mm	51mm



In-situ and product photographed in our aged brass (BEL) finish.

Barwick Ridged Hand Towel Rail

Code	Length (L)	Bar Diameter (BD)	Projection (P)	Base (B)
BWK/HTRAIL/270/RH/ROSE	307mm	25mm	99mm	50mm
BWK/HTRAIL/270/LH/ROSE	307mm	25mm	99mm	50mm




Barwick Ridged Hand Towel Rail with Backplate

Code	Length (L)	Bar Diameter (BD)	Projection (P)	Plate Length (PL)	Plate Width (PW)
BWK/HTRAIL/270/RH/BP	307mm	25mm	99mm	350mm	51mm
BWK/HTRAIL/270/LH/BP	307mm	25mm	99mm	350mm	51mm





Barwick Ridged Bath Towel Rail

Code	Length (L)	Centres (C)	Bar Diameter (BD)	Projection (P)	Base (B)
BWK/BTRAIL/450/ROSE	500mm	450mm	25mm	95mm	50mm
BWK/BTRAIL/600/ROSE	650mm	600mm	25mm	95mm	50mm




Barwick Ridged Bath Towel Rail with Backplate

Code	Length (L)	Centres (C)	Bar Diameter (BD)	Projection (P)	Plate Length (PL)	Plate Width (PW)
BWK/BTRAIL/450/BP	500mm	450mm	25mm	95mm	501mm	51mm
BWK/BTRAIL/600/BP	650mm	600mm	25mm	95mm	651mm	51mm




Barwick Ridged Vertical Wall Hook

Code	Length (L)	Bar Diameter (BD)	Projection (P)	Plate Length (PL)	Plate Width (PW)
BWK/HOOK/82	50mm	16mm	43mm	82mm	32mm
BWK/HOOK/96	58mm	22mm	58mm	96mm	38mm




Barwick Ridged Wall Hook Rack

Code	Centres (C)	Projection (P)	Plate Length (PL)	Plate Width (PW)
BWK/HOOK/328	272mm	35mm	328mm	28mm





Code	Centres (C)	Projection (P)	Plate Length (PL)	Plate Width (PW)
BWK/HOOK/628	286mm	35mm	628mm	28mm




Barwick Ridged Back To Back Pull Handle with Backplate

Code	Length (L)	Centres (C)	Bar Diameter (BD)	Projection (P)	Plate Length (PL)	Plate Width (PW)
BWK/BTB/224	237mm	224mm	25mm	52mm	274mm	50mm




Barwick Ridged Back To Back Pull Handle

Code	Length (L)	Centres (C)	Bar Diameter (BD)	Projection (P)	Base (B)
BWK/BTB/PULLONLY/224	241mm	224mm	25mm	50mm	17mm




Barwick Plain Toilet Roll Holder

Code	Length (L)	Bar Diameter (BD)	Projection (P)	Base (B)
BWK/TRHOLDER/PLAIN/175/RH/BP	175mm	25mm	99mm	50mm
BWK/TRHOLDER/PLAIN/175/LH/BP	175mm	25mm	99mm	50mm




Barwick Plain Toilet Roll Holder with Backplate

Code	Length (L)	Bar Diameter (BD)	Projection (P)	Plate Length (PL)	Plate Width (PW)
BWK/TRHOLDER/PLAIN/175/RH/ROSE	156mm	25mm	99mm	199mm	51mm
BWK/TRHOLDER/PLAIN/175/LH/ROSE	156mm	25mm	99mm	199mm	51mm



Barwick Plain Hand Towel Rail

Code	Length (L)	Bar Diameter (BD)	Projection (P)	Base (B)
BWK/HTRAIL/PLAIN/270/RH/ROSE	307mm	25mm	99mm	50mm
BWK/HTRAIL/PLAIN/270/LH/ROSE	307mm	25mm	99mm	50mm




Barwick Plain Hand Towel Rail with Backplate

Code	Length (L)	Bar Diameter (BD)	Projection (P)	Plate Length (PL)	Plate Width (PW)
BWK/HTRAIL/PLAIN/270/RH/BP	307mm	25mm	99mm	350mm	51mm
BWK/HTRAIL/PLAIN/270/LH/BP	307mm	25mm	99mm	350mm	51mm




Barwick Plain Bath Towel Rail

Code	Length (L)	Centres (C)	Bar Diameter (BD)	Projection (P)	Base (B)
BWK/BTRAIL/PLAIN/450/ROSE	500mm	450mm	25mm	95mm	50mm
BWK/BTRAIL/PLAIN/600/ROSE	650mm	600mm	25mm	95mm	50mm




Barwick Plain Bath Towel Rail with Backplate

Code	Length (L)	Centres (C)	Bar Diameter (BD)	Projection (P)	Plate Length (PL)	Plate Width (PW)
BWK/BTRAIL/PLAIN/450/BP	500mm	450mm	25mm	95mm	501mm	51mm
BWK/BTRAIL/PLAIN/600/BP	650mm	600mm	25mm	95mm	651mm	51mm




Barwick Plain Vertical Wall Hook

Code	Length (L)	Bar Diameter (BD)	Projection (P)	Plate Length (PL)	Plate Width (PW)
BWK/HOOK/PLAIN/82	50mm	16mm	43mm	82mm	32mm
BWK/HOOK/PLAIN/96	58mm	22mm	58mm	96mm	38mm




Barwick Plain Wall Hook Rack

Code	Centres (C)	Projection (P)	Plate Length (PL)	Plate Width (PW)
BWK/HOOK/PLAIN/328	272mm	35mm	328mm	28mm




Code	Centres (C)	Projection (P)	Plate Length (PL)	Plate Width (PW)
BWK/HOOK/PLAIN/628	286mm	35mm	628mm	28mm




Barwick Plain Back To Back Pull Handle with Backplate

Code	Length (L)	Centres (C)	Bar Diameter (BD)	Projection (P)	Plate Length (PL)	Plate Width (PW)
BWK/BTB/PLAIN/224	237mm	224mm	25mm	52mm	274mm	50mm



Barwick Ridged Back To Back Pull Handle

Code	Length (L)	Centres (C)	Bar Diameter (BD)	Projection (P)	Base (B)
BWK/BTB/PULLONLY/PLAIN/224	241mm	224mm	25mm	50mm	17mm



Barwick Ridged *collection*


Contemporary

Effortless column shapes and linear ridges parallel the distinctive form of traditional distillery tanks in our Barwick Ridged collection of solid brass cabinet hardware.





Barwick Ridged Cabinet Knob

Code	Diameter (D)	Projection (P)	Base (B)
BWKK/KNOBONLY/25	25mm	27mm	13mm
BWKK/KNOBONLY/32	32mm	35mm	14mm
BWKK/KNOBONLY/38	38mm	38mm	15mm
BWKK/KNOBONLY/45	45mm	41mm	16mm



Barwick Ridged Cabinet Knob with Backplate


Code	Diameter (D)	Projection (P)	Plate Length (PL)	Plate Width (PW)
BWKK/25	25mm	30mm	62mm	31mm
BWKK/32	32mm	38mm	76mm	38mm
BWKK/38	38mm	41mm	88mm	44mm
BWKK/45	45mm	44mm	108mm	51mm



Creative photographed in our aged brass (BEL) finish. Product photographed in our aged brass (BEL) finish.



Barwick Ridged T-bar Handle

Code	Length (L)	Bar Diameter (BD)	Projection (P)
BWKT/TBARONLY/79	79mm	25mm	45mm




Barwick Ridged T-bar Handle with Backplate

Code	Length (L)	Bar Diameter (BD)	Projection (P)	Plate Length (PL)	Plate Width (PW)
BWKT/79	79mm	25mm	48mm	96mm	38mm





Barwick Ridged Hook

Code	Diameter (D)	Projection (P)	Base (B)
BWK/HOOKONLY/22	22mm	32mm	13mm




Barwick Ridged Hook with Backplate

Code	Diameter (D)	Projection (P)	Plate Length (PL)	Plate Width (PW)
BWK/HOOK/22	22mm	35mm	56mm	28mm




Barwick Ridged D-Pull Handle

Code	Diameter (D)	Centres (C)	Projection (P)	Width (W)	Base (B)
BWK/DPULL/100	100mm	33mm	45mm	48mm	21mm
BWK/DPULL/150	150mm	56mm	45mm	73mm	32mm




Barwick Ridged Recess Pull

Code	Diameter (D)	Centres (C)	Projection (P)	Width (W)	Underside (U)
BWK/RECESS/100	100mm	60mm	13mm	48mm	14mm
BWK/RECESS/125	125mm	75mm	13mm	61mm	14mm
BWK/RECESS/150	150mm	96mm	13mm	73mm	14mm




Barwick Ridged Cabinet & Appliance Handle

Code	Length (L)	Centres (C)	Bar Diameter (BD)	Projection (P)
BWK/PULLONLY/128	141mm	128mm	25mm	48mm
BWK/PULLONLY/160	173mm	160mm	25mm	48mm
BWK/PULLONLY/224	237mm	224mm	25mm	48mm
BWK/PULLONLY/288	301mm	288mm	25mm	48mm
BWK/PULLONLY/APP/384	397mm	384mm	25mm	48mm
BWK/PULLONLY/APP/608	621mm	608mm	25mm	48mm




Barwick Ridged Cabinet & Appliance Handle with Backplate

Code	Length (L)	Centres (C)	Projection (P)	Plate Length (PL)	Plate Width (PW)
BWK/128	141mm	128mm	51mm	179mm	51mm
BWK/160	173mm	160mm	51mm	211mm	51mm
BWK/224	237mm	224mm	51mm	275mm	51mm
BWK/288	301mm	288mm	51mm	339mm	51mm
BWK/APP/384	397mm	384mm	51mm	435mm	51mm
BWK/APP/608	621mm	608mm	51mm	659mm	51mm




Barwick Slim Ridged Cabinet & Appliance Handle

Code	Length (L)	Centres (C)	Bar Diameter (BD)	Projection (P)
BWK/SLIM/PULLONLY/96	105mm	96mm	16mm	38mm
BWK/SLIM/PULLONLY/128	137mm	128mm	16mm	38mm
BWK/SLIM/PULLONLY/160	169mm	160mm	16mm	38mm
BWK/SLIM/PULLONLY/224	233mm	224mm	16mm	38mm
BWK/SLIM/PULLONLY/288	297mm	288mm	16mm	38mm
BWK/SLIM/PULLONLY/APP/384	393mm	384mm	16mm	38mm
BWK/SLIM/PULLONLY/APP/608	617mm	608mm	16mm	38mm



Barwick Slim Ridged Cabinet & Appliance Handle with Backplate

Code	Length (L)	Centres (C)	Bar Diameter (BD)	Projection (P)	Plate Length (PL)	Plate Width (PW)
BWK/SLIM/96	105mm	96mm	16mm	41mm	121mm	25mm
BWK/SLIM/128	137mm	128mm	16mm	41mm	153mm	25mm
BWK/SLIM/160	169mm	160mm	16mm	41mm	185mm	25mm
BWK/SLIM/224	233mm	224mm	16mm	41mm	249mm	25mm
BWK/SLIM/288	297mm	288mm	16mm	41mm	313mm	25mm
BWK/SLIM/APP/384	393mm	384mm	16mm	41mm	409mm	25mm
BWK/SLIM/APP/608	617mm	608mm	16mm	41mm	633mm	25mm



M

Barwick Plain collection


Contemporary

Presenting a bold and statement look, effortless column shapes parallel the distinctive form of distillery tanks in our Barwick plain collection of solid brass cabinet hardware.





Barwick Plain Cabinet Knob

Code	Diameter (D)	Projection (P)	Base (B)
BWKK/KNOBONLY/PLAIN/25	25mm	27mm	13mm
BWKK/KNOBONLY/PLAIN/32	32mm	35mm	14mm
BWKK/KNOBONLY/PLAIN/38	38mm	38mm	15mm
BWKK/KNOBONLY/PLAIN/45	45mm	41mm	16mm



Barwick Plain Cabinet Knob with Backplate


Code	Diameter (D)	Projection (P)	Plate Length (PL)	Plate Width (PW)
BWKK/PLAIN/25	25mm	30mm	62mm	31mm
BWKK/PLAIN/32	32mm	38mm	76mm	38mm
BWKK/PLAIN/38	38mm	41mm	88mm	44mm
BWKK/PLAIN/45	45mm	44mm	108mm	51mm



Creative photographed in our aged brass (BEL) finish. Product photographed in our aged brass (BEL) finish.



Barwick Plain T-bar Handle

Code	Length (L)	Bar Diameter (BD)	Projection (P)
BWKT/TBARONLY/PLAIN/79	79mm	25mm	45mm



Barwick Plain T-bar Handle with Backplate

Code	Length (L)	Bar Diameter (BD)	Projection (P)	Plate Length (PL)	Plate Width (PW)
BWKT/PLAIN/79	79mm	25mm	48mm	96mm	38mm





Barwick Plain Hook

Code	Diameter (D)	Projection (P)	Base (B)
BWK/HOOKONLY/PLAIN/22	22mm	32mm	13mm




Barwick Plain Hook with Backplate

Code	Diameter (D)	Projection (P)	Plate Length (PL)	Plate Width (PW)
BWK/HOOK/PLAIN/22	22mm	35mm	56mm	28mm




Barwick Plain D-Pull Handle

Code	Diameter (D)	Centres (C)	Projection (P)	Width (W)	Base (B)
BWK/DPULL/PLAIN/100	100mm	33mm	45mm	48mm	21mm
BWK/DPULL/PLAIN/150	150mm	56mm	45mm	73mm	32mm




Barwick Plain Recess Pull

Code	Diameter (D)	Centres (C)	Projection (P)	Width (W)	Underside (U)
BWK/RECESS/PLAIN/100	100mm	60mm	13mm	48mm	14mm
BWK/RECESS/PLAIN/125	125mm	75mm	13mm	61mm	14mm
BWK/RECESS/PLAIN/150	150mm	96mm	13mm	73mm	14mm




Barwick Plain Cabinet & Appliance Handle

Code	Length (L)	Centres (C)	Bar Diameter (BD)	Projection (P)
BWK/PULLONLY/PLAIN/128	141mm	128mm	25mm	48mm
BWK/PULLONLY/PLAIN/160	173mm	160mm	25mm	48mm
BWK/PULLONLY/PLAIN/224	237mm	224mm	25mm	48mm
BWK/ PULLONLY/PLAIN/288	301mm	288mm	25mm	48mm
BWK/PULLONLY/APP/PLAIN/384	397mm	384mm	25mm	48mm
BWK/PULLONLY/APP/PLAIN/608	621mm	608mm	25mm	48mm




Barwick Plain Cabinet & Appliance Handle with Backplate

Code	Length (L)	Centres (C)	Projection (P)	Plate Length (PL)	Plate Width (PW)
BWK/PLAIN/128	141mm	128mm	51mm	179mm	51mm
BWK/PLAIN/160	173mm	160mm	51mm	211mm	51mm
BWK/PLAIN/224	237mm	224mm	51mm	275mm	51mm
BWK/PLAIN/288	301mm	288mm	51mm	339mm	51mm
BWK/APP/PLAIN/384	397mm	384mm	51mm	435mm	51mm
BWK/APP/PLAIN/608	621mm	608mm	51mm	659mm	51mm



Barwick Slim Plain Cabinet & Appliance Handle

Code	Length (L)	Centres (C)	Bar Diameter (BD)	Projection (P)
BWK/SLIM/PULLONLY/PLAIN/96	105mm	96mm	16mm	38mm
BWK/SLIM/PULLONLY/PLAIN/128	137mm	128mm	16mm	38mm
BWK/SLIM/PULLONLY/PLAIN/160	169mm	160mm	16mm	38mm
BWK/SLIM/PULLONLY/PLAIN/224	233mm	224mm	16mm	38mm
BWK/SLIM/PULLONLY/PLAIN/288	297mm	288mm	16mm	38mm
BWK/SLIM/PULLONLY/APP/PLAIN/384	393mm	384mm	16mm	38mm
BWK/SLIM/PULLONLY/APP/PLAIN/608	617mm	608mm	16mm	38mm



Barwick Slim Plain Cabinet & Appliance Handle with Backplate

Code	Length (L)	Centres (C)	Bar Diameter (BD)	Projection (P)	Plate Length (PL)	Plate Width (PW)
BWK/SLIM/PLAIN/96	105mm	96mm	16mm	41mm	121mm	25mm
BWK/SLIM/PLAIN/128	137mm	128mm	16mm	41mm	153mm	25mm
BWK/SLIM/PLAIN/160	169mm	160mm	16mm	41mm	185mm	25mm
BWK/SLIM/PLAIN/224	233mm	224mm	16mm	41mm	249mm	25mm
BWK/SLIM/PLAIN/288	297mm	288mm	16mm	41mm	313mm	25mm
BWK/SLIM/APP/PLAIN/384	393mm	384mm	16mm	41mm	409mm	25mm
BWK/SLIM/APP/PLAIN/608	617mm	608mm	16mm	41mm	633mm	25mm

